

# DWK EVERYDAY ESSENTIALS

TRUSTED TOOLS FOR EVERY WORKFLOW



**DWK LIFE SCIENCES**  
DURAN WHEATON KIMBLE

# DWK EVERYDAY ESSENTIALS

DWK Life Sciences puts the spotlight on core lab solutions, beakers, bottles, Erlenmeyer flasks, and more. Whether you're refreshing your lab setup or simplifying your supply choices, trusted **WHEATON®** and **KIMBLE® Everyday Essentials** deliver dependable quality for daily lab work. Designed to make selecting the right labware straightforward, these premium products provide the consistent, reliable performance you can count on.




## KIMBLE® KIMAX® BEAKERS

Made from durable borosilicate 3.3 glass, **KIMBLE® KIMAX® beakers** offer excellent thermal resistance, clear graduations and easy-to-label marking areas. Standard Griffin beakers are ideal for mixing and heating on hotplates. Heavy Duty Beakers feature extra-thick walls for enhanced durability and are designed for demanding environments where breakage resistance is key.



## KIMBLE® KIMAX® ERLENMEYER FLASKS

Designed for precision and durability, **KIMBLE® KIMAX® Erlenmeyer Flasks** are a trusted choice for everyday lab work. Made from high-quality borosilicate 3.3 glass and compliant with ASTM E1404 standards, they feature a reinforced, rounded top and durable ceramic enamel markings for easy volume estimation. Ideal for mixing and heating liquids with confidence.



## KIMBLE® KIMAX® VOLUMETRIC CYLINDERS & FLASKS

The **KIMBLE® KIMAX® volumetric range** delivers precision and durability across a range of graduated cylinders and volumetric flasks. Calibrated to Class A or B standards, graduated cylinders feature easy-to-read scales, and stability-enhancing designs, while volumetric flasks are also available with a heavy-duty design offering added strength and safety.



## KIMBLE® & WHEATON® MEDIA BOTTLES

**KIMBLE®** and **WHEATON® media bottles** are made from low extractable borosilicate 3.3 glass for clarity, durability, and chemical resistance. Both feature easy-to-read graduations, marking spots for labeling, and secure, autoclavable caps. **KIMBLE®** media bottles are supplied with a linerless, polypropylene screw cap while **WHEATON®** media bottles are supplied with black phenolic caps.




## WHEATON® SCINTILLATION VIALS

**WHEATON® Liquid Scintillation Vials** support a range of lab applications beyond scintillation counting. Made from Type I borosilicate glass, they offer low background counts and excellent UV transmission. Available with various cap styles and liners, these 20 mL vials are designed to meet diverse workflow needs with reliable performance.



## KIMBLE® DISPOSABLE BOROSILICATE PASTEUR PIPETTES

**KIMBLE® Disposable Borosilicate Pasteur Pipettes** are ideal for single-use liquid transfers in lab environments. Manufactured from USP Type I borosilicate glass and compliant with ASTM E732 standards, they offer low extractables and high clarity. Available unplugged or with cotton plugs to suit a wide range of applications.



## KIMBLE® PLAIN DISPOSABLE GLASS TUBES & KIMBLE® KIM-KAP™ POLYPROPYLENE CAPS

**KIMBLE® Disposable Borosilicate Glass Tubes** offer chemical resistance and consistent quality for routine lab work. Made from 5.1 expansion glass and ASTM E890 compliant, they are packaged to reduce breakage and contamination. Pair with color-coded, autoclavable **KIM-KAP™ polypropylene caps** for secure sealing and easy sample identification.



## WHEATON® CRYOGENIC VIALS & STORAGE SOLUTIONS

**WHEATON® CryoELITE® Cryogenic Vials** offer leak-resistant protection for valuable samples, exceeding DOT and IATA standards. Made from cryogenic-grade polypropylene, they are freeze-thaw durable and available with color-coded options and 2D barcodes. Pair with **WHEATON® CryoFile®** and **WHEATON® KEEPIT® Boxes** for organized, shatter-resistant storage compatible with liquid nitrogen systems.

## KIMBLE® KIMAX® GRIFFIN BEAKERS

Capacity (mL)	OD (mm)	Height (mm)	Graduation Intervals (mL)	Graduation Range (mL)	Quantity	DWK Cat. No.
10	25	34	Not graduated	Not graduated	48	14000-10
20	32	41	5	5 to 15	48	14000-20
30	35	53	10	5 to 25	48	14000-30
50	42	53	10	10 to 40	48	14000-50
100	50	70	10	20 to 80	48	14000-100
150	57	81	20	20 to 140	48	14000-150
250	68	88	25	25 to 200	48	14000-250
400	77	106	25	50 to 325	48	14000-400
600	88	122	50	50 to 500	36	14000-600
800	99	136	50	50 to 750	24	14000-800
1000	107	145	50	100 to 1000	24	14000-1000
1500	120	165	100	200 to 1400	16	14000-1500
2000	130	190	100	200 to 1800	8	14000-2000
4000	161	250	250	500 to 3500	6	14000-4000

## KIMBLE® KIMAX® HEAVY DUTY BEAKERS

Capacity (mL)	OD (mm)	Height (mm)	Graduation Intervals (mL)	Graduation Range (mL)	Quantity	DWK Cat. No.
250	67	92	25	25 to 200	48	14005-250
600	87	122	50	50 to 500	36	14005-600
1000	107	152	50	100 to 1000	24	14005-1000
2000	130	190	200	200 to 1800	8	14005-2000
4000	161	252	500	500 to 3500	4	14005-4000

## KIMBLE® KIMAX® ERLLENMEYER FLASKS

Capacity (mL)	OD (mm)	Height (mm)	Graduation Intervals (mL)	Graduation Range (mL)	Quantity	DWK Cat. No.
25	39	65	5	10 to 25	48	26500-25
50	50	78	10	20 to 50	48	26500-50
250	82	130	25	50 to 225	48	26500-250
500	102	174	50	100 to 500	36	26500-500
1000	128	213	50	250 to 1000	24	26500-1000
2000	161	275	100	600 to 2000	8	26500-2000
6000	241	395	500	1500 to 6000	1	26500-6000

## KIMBLE® KIMAX® GRADUATED CYLINDERS ASTM Class B

Capacity (mL)	Tolerance (mL)	Height (mm)	Graduation Intervals (mL)	Graduation Range (mL)	Quantity	DWK Cat. No.
10	±0.1	135	0.2	1 to 10	24	20024-10
25	±0.3	140	0.5	3 to 25	24	20024-25
50	±0.4	190	1	3 to 50	24	20024-50
100	±0.6	255	1	5 to 100	24	20024-100
250	±1.4	330	2	10 to 250	12	20024-250
500	±2.6	375	5	25 to 500	8	20024-500
1000	±5.0	460	10	50 to 1000	4	20024-1000
2000	±10.0	520	20	100 to 2000	4	20024-2000

## KIMBLE® KIMAX® GRADUATED CYLINDERS ASTM Class A

Capacity (mL)	Tolerance (mL)	Height (mm)	Graduation Intervals (mL)	Graduation Range (mL)	Quantity	DWK Cat. No.
10	±0.08	165	0.1	1 to 10	6	20027-10
25	±0.14	200	0.2	2 to 25	6	20027-25
50	±0.2	191	1	3 to 50	6	20027-50
100	±0.35	255	1	5 to 100	6	20027-100
250	±0.65	330	2	10 to 250	4	20027-250
500	±1.10	375	5	25 to 500	4	20027-500
1000	±2.00	460	10	50 to 1000	1	20027-1000
2000	±6.00	520	20	100 to 2000	1	20027-2000

## KIMBLE® KIMAX® VOLUMETRIC FLASKS ASTM Class A, Heavy Duty, Wide-Mouth, Glass Stopper

Capacity (mL)	Tolerance (mL)	Height Including Stopper (mm)	Quantity	DWK Cat. No.
5	±0.08	97	6	92812G-5
10	±0.08	100	6	92812G-10
20	±0.08	113	6	92812G-20
25	±0.08	130	6	92812G-25
50	±0.08	150	6	92812G-50
100	±0.10	180	6	92812G-100
200	±0.20	223	6	92812G-200
250	±0.20	248	6	92812G-250
500	±0.20	283	6	92812G-500
1000	±0.30	335	1	92812G-1000
2000	±0.50	395	1	92812G-2000

## KIMBLE® KIMAX® VOLUMETRIC FLASKS ASTM Class A, Heavy Duty, Wide-Mouth, Color Coded PTFE Stopper

Capacity (mL)	Tolerance (mL)	Height Including Stopper (mm)	Quantity	DWK Cat. No.
5	±0.08	94	6	92812F-5
10	±0.08	97	6	92812F-10
20	±0.08	127	6	92812F-20
25	±0.08	127	6	92812F-25
50	±0.08	147	6	92812F-50
100	±0.10	175	6	92812F-100
200	±0.20	217	6	92812F-200
250	±0.20	269	6	92812F-250
500	±0.20	300	6	92812F-500
1000	±0.30	328	1	92812F-1000

## KIMBLE® KIMAX® VOLUMETRIC FLASKS ASTM Class A, with Polyethylene Stopper

Capacity (mL)	Tolerance (mL)	Height Including Stopper (mm)	Quantity	DWK Cat. No.
5	±0.02	92	12	28014P-5
10	±0.02	107	12	28014P-10
25	±0.03	122	12	28014P-25
50	±0.05	152	12	28014P-50
100	±0.08	184	12	28014P-100
200	±0.10	229	12	28014P-200
250	±0.12	254	12	28014P-250
500	±0.20	288	12	28014P-500
1000	±0.30	339	6	28014P-1000
2000	±0.50	400	4	28014P-2000

## KIMBLE® GL45 MEDIA BOTTLES Clear 3.3 Borosilicate Glass with Cap

Capacity (mL)	OD (mm)	Height (mm)	Cap Material	Quantity	DWK Cat. No.
100	56	100	Polypropylene	10	14395-100
250	70	138	Polypropylene	10	14395-250
500	86	176	Polypropylene	10	14395-500
1000	101	225	Polypropylene	10	14395-1000
2000	136	260	Polypropylene	4	14395-2000
5000	181	330	Polypropylene	1	14395-5000

## WHEATON® MEDIA / LAB BOTTLES Clear 3.3 Borosilicate Glass with Cap

Capacity (mL)	Diameter x Height Including Cap (mm)	Cap Material	Cap Liner	Thread	Quantity	DWK Cat. No.
125	55 x 123	Phenolic	Rubber	33-430	48	219755
250	67 x 152	Phenolic	Rubber	33-430	48	219757
500	88 x 192	Phenolic	Rubber	33-430	24	219759
1000	103 x 235	Phenolic	Rubber	38-430	24	219760

## WHEATON® LIQUID SCINTILLATION GLASS VIALS 20 mL

Cap Material	Liner Material	Diameter (mm)	Height (mm)	Thread	Quantity	DWK Cat. No.
Polypropylene	Foamed Polyethylene	28	61	22-400	500	986540
Polypropylene	Metal Foil / Pulp	28	61	22-400	500	986541
Urea	Metal Foil / Pulp	28	61	22-400	500	986542
Urea	Polyethylene Cone	28	61	22-400	500	986546
Urea	Polyethylene Cone	28	61	22-400	500	986586
Polypropylene	Foamed Polyethylene	28	61	24-400	500	986560
Polypropylene	Metal Foil / Pulp	28	61	24-400	500	986561
Urea	Metal Foil / Cork	28	61	24-400	500	986562
Urea	Polyethylene Disc	28	61	24-400	500	986568

## KIMBLE® DISPOSABLE BOROSILICATE PASTEUR PIPETTES Non-Sterile

Overall Length (in)	Body Length (in)	Tip Length (in)	Plugged/ Un-Plugged	Quantity	DWK Cat. No.
9	4	5	Un-Plugged	1000	63B92
9	4	5	Plugged	1000	63B92P
5.75	3.5	2.25	Un-Plugged	1000	63A53
5.75	3.5	2.25	Plugged	1000	63A53P

## KIMBLE® PLAIN DISPOSABLE BOROSILICATE GLASS TUBES

OD (mm)	Length (mm)	Capacity (mL)	Quantity	DWK Cat. No.
10	75	4	1000	73500-1075
12	75	6	1000	73500-1275
13	100	10	1000	73500-13100
16	100	15	1000	73500-16100
16	125	19	1000	73500-16125
16	150	23	1000	73500-16150
18	150	28.5	500	73500-18150

## KIMBLE® KIM-KAP™ POLYPROPYLENE CAPS

Tube OD (mm)	Color	Autoclavable	Quantity	DWK Cat. No.
16	Blue	Yes	1000	73665-16
18	Blue	Yes	1000	73665-18
13	Green	Yes	1000	73663-13
16	Green	Yes	1000	73663-16
13	Natural	Yes	1000	73660-13
16	Natural	Yes	1000	73660-16
18	Natural	Yes	1000	73660-18
13	Red	Yes	1000	73662-13
16	Red	Yes	1000	73662-16
18	Red	Yes	1000	73662-18

## WHEATON® CryoELITE® CRYOGENIC VIALS Sterile with Marking Spot


Capacity (mL)	Diameter (mm)	Height (mm)	Cap Color	Quantity	Material	DWK Cat. No.
1.2	12	37	Natural	500	Polypropylene	W985862
2	12	49	White	500	Polypropylene	W985863
2	12	49	Red	500	Polypropylene	W985864
2	12	49	Pink	500	Polypropylene	W985865
2	12	49	Yellow	500	Polypropylene	W985866
2	12	49	Green	500	Polypropylene	W985867
2	12	49	Blue	500	Polypropylene	W985868
2	12	49	Natural	500	Polypropylene	W985872

## WHEATON® CryoFile® STORAGE BOX

Color	Quantity	Dimensions (mm)	DWK Cat. No.
White	15	130 x 130 x 53	W651603

## WHEATON® KEEPIT® FREEZER BOXES

Color	Length (mm)	Width (mm)	Height (mm)	Quantity	DWK Cat. No.
White	75	75	52	10	W651702-W
White	130	130	52	10	W651703-W



Excellence in your hands

Contact us at [DWK.com](https://www.dwk.com)

© 2026 DWK Life Sciences • The trademarks used are owned by DWK Life Sciences GmbH, DWK Life Sciences LLC or DWK Life Sciences Ltd.